

CUSTOMER: Parking Systems Benelux Rhijnspoor 233 Capelle a/d IJssel YOUR REF.: K. Olsthoorn	ORDER: from 28/03/03 E01.91.085 PROJECT: PARKLAAN ETTENLEUR Y/DESC.: IV31 RIGHT	Item: 31	ORDER NO.: ...FD23090
		Units: 1	Handled by: A.M.Mowat

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator**
Machinery type **P-NR12T5/Z0.2/400/GR/4vz (2/4P,10)**
Machinery No. **...FD23090 - 31**

Year

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	56/14	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	25/13				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	90	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.5/0.37
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.




Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance



CUSTOMER: Parking Systems Benelux Rhijnspoor 233 Capelle a/d IJssel	ORDER: from 28/03/03 E01.91.085 PROJECT: PARKLAAN ETTENLEUR	Item: 32	ORDER NO.: ...FD23090
YOUR REF.: K. Olsthoorn	Y/DESC.: IV32 LEFT	Units: 1	Handled by: A.M.Mowat

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator** Year
Machinery type **P-N8L5/V0.6/400/GT/4vz (2/4P,10)**
Machinery No. **...FD23090 - 32**

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	50/13	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	24/12				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	80	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.1/0.25
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.




Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance



FAN SYSTEMS
WITT

EN ISO 9001 certified



Halifax, Yorkshire HX48HB, Tel.: +44 (14 22) 378 131 Fax: +44 (14 22) 378 672

Date: 06/06/03

CUSTOMER: Parking Systems Benelux Rijnspoor 233 Capelle a/d IJssel	ORDER: from 28/03/03 E01.91.085	Item: 33	ORDER NO.: ...FD23090
	PROJECT: PARKLAAN ETTENLEUR	Units: 1	Handled by: A.M. Mowat
YOUR REF.: K. Olsthoorn	Y/DESC.: IV33 LEFT		

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator** Year
Machinery type **P-NR12T5/Z0.2/400/GR/4vz (2/4P,10)**
Machinery No. **...FD23090 - 33**

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	56/14	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	25/13				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	90	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.5/0.37
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.

CE

If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.

Relevant EC Council Directives:
Applied harmonised standards, in particular: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied national standards and technical specifications, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance

R. H. Thorne

CUSTOMER: Parking Systems Benelux Rhijnspoor 233 Capelle a/d IJssel YOUR REF.: K. Olsthoorn	ORDER: from 28/03/03 E01.91.085 PROJECT: PARKLAAN ETTENLEUR Y/DESC.: IV34 RIGHT	Item: 34 Units: 1	ORDER NO.: ...FD23090 Handled by: A.M.Mowat

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator** Year
Machinery type **P-NR12T5/Z0.2/400/GR/4vz (2/4P,10)**
Machinery No. **...FD23090 - 34**

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	56/14	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	25/13				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	90	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.5/0.37
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.



Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance



CUSTOMER: Parking Systems Benelux Rhijnspoor 233 Capelle a/d IJssel YOUR REF.: K. Olsthoorn	ORDER: from 28/03/03 E01.91.085 PROJECT: PARKLAAN ETTENLEUR Y/DESC.: IV35 LEFT	Item: 35	ORDER NO.: ...FD23090
		Units: 1	Handled by: A.M.Mowat

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator** Year
Machinery type **P-NR12T5/Z0.2/400/GR/4vz (2/4P,10)**
Machinery No. **...FD23090 - 35**

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	56/14	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	25/13				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	90	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.5/0.37
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.



If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.


Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance



CUSTOMER:

Parking Systems Benelux
Rhijnspoor 233
Capelle a/d IJssel

ORDER: from 28/03/03
E01.91.085

PROJECT: PARKLAAN ETTENLEUR

Y/DESC.: IV36 RIGHT

Item:
36

ORDER NO.:
...FD23090

Units:
1

Handled by:
A.M.Mowat

YOUR REF.: K. Olsthoorn

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator**
Machinery type **P-NR12T5/Z0.2/400/GR/4vz (2/4P,10)**
Machinery No. **...FD23090 - 36**

Year

Technical Data

Volume flow rate **V** **m³/h** **1.2**
Static pressure **Δp_{stat}** **Pa** **56/14**
Total pressure **Δp_{tot}** **Pa**
Rated speed **n** **min⁻¹** **25/13**
Ex-protection

Density **ρ** **kg/m³** **1.2**
Operating temperature **t** **°C**
Shaft power **P_w** **kW** **0**

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make **Witt & Sohn**
Size **90**
Poles **4**
Design **B14**
Insulation class **F**
Classification **DIN VDE 0530**

Rated voltage **U** **V** **400**
Frequency **f** **Hz** **50**
Rated Power **P_M** **kW** **1.5/0.37**
Protection class **IP55**
Ex-protection

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.



Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, **06/06/03**

Position of Signatory:

Manager Quality Assurance

R. H. Thornley

CUSTOMER:

Parking Systems Benelux
Rhijnspoor 233
Capelle a/d IJssel

ORDER: from 28/03/03
E01.91.085

PROJECT: PARKLAAN ETTENLEUR

Y/DESC.: IV37 LEFT

Item:
37

ORDER NO.:
...FD23090

Units:
1

Handled by:
A.M.Mowat

YOUR REF.: K. Olsthoorn

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator**
Machinery type **P-N8L5/V0.6/400/GT/4vz (2/4P,10)**
Machinery No. **...FD23090 - 37**

Year

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	50/13	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	24/12				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	80	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.1/0.25
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.



Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance

R. H. Thomas

CUSTOMER: Parking Systems Benelux Rhijnspoor 233 Capelle a/d IJssel YOUR REF.: K. Olsthoorn	ORDER: from 28/03/03 E01.91.085 PROJECT: PARKLAAN ETTENLEUR Y/DESC.: IV38 RIGHT	Item: 38	ORDER NO.: ...FD23090
		Units: 1	Handled by: A.M.Mowat

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator** Year
Machinery type **P-N8L5/V0.6/400/GT/4vz (2/4P,10)**
Machinery No. **...FD23090 - 38**

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	50/13	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	24/12				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	80	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.1/0.25
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.




Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance



CUSTOMER: Parking Systems Benelux Rhijnspoor 233 Capelle a/d IJssel YOUR REF.: K. Olsthoorn	ORDER: from 28/03/03 E01.91.085 PROJECT: PARKLAAN ETTENLEUR Y/DESC.: IV39 LEFT	Item: 39	ORDER NO.: ...FD23090
		Units: 1	Handled by: A.M.Mowat

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator** Year
Machinery type **P-N8LS/V0.6/400/GT/4vz (2/4P,10)**
Machinery No. **...FD23090 - 39**

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	50/13	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	24/12				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	80	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.1/0.25
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.




Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance



CUSTOMER: Parking Systems Benelux Rhijnspoor 233 Capelle a/d IJssel YOUR REF.: K. Olsthoorn	ORDER: from 28/03/03 E01.91.085 PROJECT: PARKLAAN ETTENLEUR Y/DESC.: IV40 RIGHT	Item: 40	ORDER NO.: ...FD23090
		Units: 1	Handled by: A.M.Mowat

Manufacturer's Certificate M according to DIN 55350, part 18

Designation of machinery **Tunnelventilator**
Machinery type **P-N8L5/V0.6/400/GT/4vz (2/4P,10)**
Machinery No. **...FD23090 - 40**

Year

Technical Data

Volume flow rate	V	m ³ /h	1.2	Density	ρ	kg/m ³	1.2
Static pressure	Δp _{stat}	Pa	50/13	Operating temperature	t	°C	
Total pressure	Δp _{tot}	Pa		Shaft power	P _w	kW	0
Rated speed	n	min ⁻¹	24/12				
Ex-protection							

Material

Impeller **Corrosion resistant cast aluminium**
Motor support **S235JRG2 = RSt 37-2**
Casing **S235JRG2 = RSt 37-2**

Surface Treatment

Impeller **no paint**
Motor support **Powder coated appx. 120μm, RAL 9002**
Casing outside **Powder coated appx. 120μm, RAL 9002**
Casing inside **Powder coated appx. 120μm, RAL 9002**

Motor

Make	Witt & Sohn	Rated voltage	U	V	400
Size	80	Frequency	f	Hz	50
Poles	4	Rated Power	P _M	kW	1.1/0.25
Design	B14	Protection class			IP55
Insulation class	F	Ex-protection			
Classification	DIN VDE 0530				

EC declaration of conformity as defined by the EC Council Directive on Machinery 89/392/EEC, Annex IIA:

Herewith we declare that the machinery designated below, on the basis of its design and construction in the form brought onto the market by us in accordance with the relevant safety and health requirements of the EC Council Directive on Machinery.
If alterations are made to the machinery without prior consultations with us, this declaration becomes invalid.



Relevant EC Council Directives: Machinery Directive (89/392/EEC in the version 93/68/EEC)
Applied harmonised standards, in particular: EN 292-1, EN 292-2, EN 294, EN 60204-1
Applied national standards and technical specifications, in particular: VDMA 24167

Date / Signature of manufacturer:

Halifax, 06/06/03

Position of Signatory:

Manager Quality Assurance

