

Artikelnaam
(-)-COTININE, >=98%
(-)-EPINEPHRINE
(-)-Methyl (R)-3-hydroxyvalerate, >= 98%
(-)-NICOTINE METHANOL SOLUTION
(-)-RIBOFLAVIN, FROM EREMOTHECIUM
(?)-Metoprolol (+)-tartrate salt
(+)-A-TOCOPHEROL TYPE V FROM VEGETABLE*O
(+)-CATECHIN HYDRATE
(+)-CHLORPHENIRAMINE MALEATE
(+/-)-2-BUTANOL, ANHYDROUS, 99.5%
(+/-)-2-PHENYLGLYCINE, 95%
(+/-)-A-TOCOPHEROL
(+/-)-NARINGENIN
(+/-)-SYNEPHRINE, >= 98%
(+/-)-METANEPHRINE-D3 HCL
(+/-)-NICOTINE-D4
(+/-)-NORMETANEPHRINE-D3 HCL
(15:0)-Anacardic acid
(1S)-(-)-ALPHA-PINENE, 98% (81+% E.E.)
(2-METHYLPHENOXY)ACETIC ACID
(R)-(+)-LIMONENE, 97%
[2-(METHACRYLOYLOXY)ETHYL]TRIMETHYLAMMON
1,1,1-Tris(hydroxymethyl)propane, dist.&
1,2,4,5-TETRAKIS(BROMOMETHYL)BENZENE, 95
1,3-DIETHYL-1,3-DIPHENYLUREA, 99%
1,3-Dimethyl-1,3-diphenylurea
1,3-Dimethylamylamine
1,6-HEXANEDIOL, 97%
1,7-DIAMINOHEPTANE, 98%
1-Ethyl-3-methylimidazolium diethyl phos
1-HEPTANOL
1-METHYL-2-AZADAMANTANE-N-OXYL, 97%
1-NONANOL
1-PENTANOL, ACS
1-Phenylethanol, 98%
1-UNDECANOL, 99%
1-VINYL-2-PYRROLIDINONE, CONTAINS SODIUM
2,2'-AZINO-BIS(3-ETHYLBENZOTHAZOLINE)
2,2'-AZINO-BIS(3-ETHYLBENZOTHAZOLINE)
2,2'-AZOBIS(2-METHYLPROPIONAMIDINE)
2,2-BIS(HYDROXYMETHYL)PROPIONIC ACID, 98
2,2-Diphenyl-1-picrylhydrazyl
2,3-DIHYDROXYBENZOIC ACID, 99%
2,4,5-TRIMETHYLANILINE SOLUTION, 100 UG/
2,4,6-TRI(2-PYRIDYL)-S-TRIAZINE
2,4,6-TRIPHENYLPYRYLIUM TETRAFLUOROBORAT
2,4-Diaminoanisole OEKANAL
2,5-DIHYDROXYBENZOIC ACID
2,5-DIMETHYLBENZALDEHYDE, 99%

2,5-FURANDICARBOXYLIC ACID
2,6-DICHLORO-4-METHYLPHENOL-150MG_PH
2,6-Dimethyl aniline
2,6-DI-TERT-BUTYL-4-METHYLPHENOL
2-6-DICHLOROQUINONE-4-CHLOROIMIDE
2-ACETYLPIRIDINE, >=99%, FG
2-AMINO-2-METHYL-1,3,-PROPANEDIOL
2-AMINOETHYLPHOSPHONIC ACID, 99%
2-AMINOHEPTANE, 99%
2-BROMO-2-METHYLPROPIONIC ACID, 98%
2-BROMOPROPIONIC ACID, 99%
2-Butanone, ACS reagent, =99.0%
2-CHLORO-2-METHYLPROPANE
2-CYANO-2-PROPYL DODECYL TRITHIOCARBONA&
2-HYDROXY-1,4-NAPHTHOQUINONE, 97%
2'-HYDROXY-4'-METHOXYACETOPHENONE, 99%
2-MERCAPTOETHANOL
2-METHOXY-4-VINYLPHENOL, >=98%, FG
2-METHYL-2-BUTANOL, REAGENTPLUS(R), 99%
2-Methyl-4-isothiazolin-3-one
2-NAPHTHOL, 99%
2-NAPHTHYL PROPIOLATE
2-NITROTOLUENE, 99+%
2-VINYLANISOLE, 98%
2-VINYLPYRIDINE, 97%
3,3',5,5',-TETRAMETHYLBENZIDINE (TMB)*LIQ
3,3-DIMETHYLACRYLOYL CHLORIDE, 97%
3,4,5-TRIMETHOXYBENZALDEHYDE, 98%
3,4-DIHYDROXYBENZYLAMINE HYDROBROMIDE, 9
3,4-DIHYDROXYPHENYLACETIC ACID, 98%
3,4-METHYLENEDIOXYPHENETHYLAMINE HYDROCH
3',5'-DIMETHOXY-4'-HYDROXYACETOPHENONE,
3,5-DINITROBENZOYL CHLORIDE, >=98%
3,6-DIMETHYL-1,4-DIOXANE-2,5-DIONE, 99%
3-[4-(BROMOMETHYL)PHENYL]-7-(DIETHYLAMIN
3-HYDROXYTYRAMINE HCL
3-MERCAPTOPROPIONIC ACID, 99+%
3-MERCAPTOPROPIONIC ACID, 99+%
3-METHYL-1,1-DIPHENYLUREA, >= 95.0%
3-METHYLINDOLE, 98%
3-OCTANOL, >=97%, FCC, FG
3-VINYLANISOLE, 97%
4-(DIMETHYLAMINO)BENZALDEHYDE, 99%,
4-ACETAMIDOPHENOL
4-ACETAMIDOPHENOL
4-ACETOXYSTYRENE, 96%
4-AMINOPHENOL, 98+%
4-AMINOPHENOL, 98+%
4-Chloro-1,8-naphthalic anhydride
4-CHLORO-2-METHYLANILINE OEKANAL, 250

4-HYDROXY-3-METHYLBENZALDEHYDE, 97%
4-METHOXY-ALPHA-TOLUENETHIOL, TECH., 90%
4-NITROPHENYL PHOSPHATE DISODIUM SALT HE
4-PIPERIDINE BUTYRIC ACID HYDROCHLORIDE
4-VINYLANISOLE, 97%
5A-CHOLESTANE, >=97%(HPLC)
5-AZA-2'-DEOXYCYTIDINE
5-HYDROXYTRYPTAMINE HYDROCHLORIDE
5-Pentadecylresorcinol
6-Aminohexanoic acid
6-HYDROXY-2,5,7,8-TETRAMETHYLCHROMAN-2-C
6-PHENYLHEXANOIC ACID, 99%
9-FLUORENYLMETHYL CHLOROFORMATE, 97%
A,A,A-TRICHLOROTOLUENE, 1000MG, NEAT
a-Amylase from Aspergillus oryzae
ACETALDEHYDE, ANHYDROUS
ACETIC ANHYDRIDE, REAGENTPLUS, >=99%
ACETYLSALICYLIC ACID, >=99.0%
ADENINE , >=99%
ADENOSINE 5'-TRIPHOSPHATE DISODIUM SALT
AGAR, FOR MICROBIOLOGY, POWDER
AGAROSE, LOW GELLING TEMPERATURE
AGAROSE, LOW GELLING TEMPERATURE BIOREAG
ALDOSTERONE
ALDRITHIOL-4, 98%
ALKANE STANDARD SOLUTION C8-C20, ANALYT&
ALLYL CHLORIDE, 98%
ALPHA,ALPHA-DICHLOROMETHYL METHYL ETHER,
ALPHA+BETA-THUJONE
alpha-Humulene, >= 96.0 % GC
ALPHA-METHYLENE-GAMMA-BUTYROLACTONE, 97%
ALUMINIUM OXIDE 90 ACTIVE BASIC 1 KG
ALUMINUM ATOMIC SPECTR. STD. SOL. FLUKA,
ALUMINUM DIHYDROGEN PHOSPHATE
ALUMINUM POTASSIUM SULFATE DODECAHYDRATE
ALUMINUM SULFATE, MEETS USP TESTING SPEC
AMITRIPTYLINE HYDROCHLORIDE
AMITRIPTYLINE-D3 HCL
AMMONIA ASSAY KIT
Ammoniakoplossing 32% zeer z 2,5 L
Ammonium dimolybdate
AMMONIUM FORMATE
AMMONIUM HYDROXIDE, A.C.S. REAGENT
AMMONIUM PERSULFATE ELECTROPHORESISREAGE
AMMONIUM PERSULFATE, 98+%, A.C.S. REAGEN
AMMONIUM PHOSPHATE DIBASIC, PURISS. P.A.
AMMONIUM PHOSPHATE MONOBASIC PLANT CELL
AMMONIUM SULFATE, >= 99%
Ammoniumijzer(III) sulfaat-? 500 G
AMPICILLIN SODIUM CRYSTALLINE

AMPICILLIN SODIUM CRYSTALLINE
AMYLAMINE, 99%
ANILINE BLUE SOLUTION, 2.5% IN 2% ACETIC
ANTHRANILIC ACID, REAGENT GRADE, >=98%
ANTI-HISTONE H3 ANTIBODY PRODUCED IN RAB
ANTI-HUMAN IGG (WHOLE MOLECULE)*PEROXIDA
ANTI-HUMAN WHOLE SERUM DEVELOPED IN*RABB
ANTI-LDHA
ANTI-MOUSE IGG (FAB FRAGMENT)PEROXIDASE
ANTI-PRO-INSULIN C-PEPTIDE ANTIBODY, CLO
Anti-Pro-Insulin C-Peptide, clone C-P-01
ANTIPYRINE CRYSTALLINE
APIGENIN,>=95.0% (HPLC)
ARACHIDIC ACID
Arachidic acid, synthetic, >= 99.0 % GC&
ARG8-VASOPRESSIN ACETATE
ARTICAINE HYDROCHLORIDE
ASTAXANTHIN, >=97% HPLC, BLAKESLEA TRISP
Atorvastatin Calcium
ATORVASTATIN CALCIUM
AZITHROMYCIN
AZOCARMINE G
BARBITURIC ACID, REAGENTPLUS, 99%
BARIUM CHLORIDE DIHYDRATE 1 KG
BARIUM HYDROXIDE, TECH., CA. 95%
Basic Red 9
BENZO(A)ANTHRACENE, 1X1ML, MEOH, 1000UG/
BENZALDEHYDE FOR SYNTHESIS 1 L
BENZALDEHYDE, REAGENTPLUS, >=99%
BENZALKONIUM CHLORIDE, >=95.0% (T)
BENZENESULFONYL CHLORIDE, 99%
BENZIL FOR SYNTHESIS 250 G
BENZO(A)PYRENE,1X1ML,1000UG/ML,ACET
BENZO(K)FLUORANTHENE, 1X1ML, ACET, 1000U
Benzocaine
BENZTHIAZIDE
BENZYL ALCOHOL FOR ANALYSIS EMSURE(R)
BENZYL CHLORIDE, REAGENTPLUS(R), 99%, S
BENZYLIDENEACETONE FOR SYNTHESIS
BENZYLTRIETHYLAMMONIUM CHLORIDE, 99%
BETA-CARYOPHYLLENE, >=80%, FCC, FG
BETA-LACTAMASE BLEND, RECOMBINANT&
BETA-NICOTINAMIDE ADENINE DINUCLEOTIDE H
BETA-NICOTINAMIDE ADENINE DINUCLEOTIDE&
B-GLUCURONIDASE/ARYLSULFATASE, 2ML
BILIRUBIN MIXED ISOMERS
BIOHAZARD DISPOSAL BAGS 22 X 28 CM
Bis(methylglycol) phthalate
BISMUTH(III) NITRATE PENTAHYDRATE, 98%
BISPHENOL A DIGLYCIDYL ETHER

BISPHENOL A DIMETHACRYLATE
BIS-TRIS FREE BASE
BLOCKING REAGENT 50 G
BLUE DEXTRAN MOL. WT. 2,000,000
B-NICOTINAMIDE ADENINE DINUCLEOTIDE,*RED
BOLDENON VETRANAL Packung mit 10 mg
BORON TRIFLUORIDE DIMETHYL ETHERATE
BORON TRIFLUORIDE METHANOL SOLUTION
BORON TRIFLUORIDE-TETRAHYDROFURAN COMPLE
BRAND(R) UV CUVETTES, MACRO, VOLUME 2.5&
BRODIFACOUM PESTANAL 100 MG
BROMADIOLONE PESTANAL, 100 MG
BROMOCRESOL GREEN, A.C.S. REAGENT
BSA FRACTION V, 100G
BSA FRACTION V, 500G
BUFFERS IN A BOX, PREMIX SSC BUFFER(20X)
BUTYL ACRYLATE, 99+%
BUTYL BENZOATE, 99%
BUTYL METHACRYLATE99%, CONTAINS MONOMET&
Butyl rubber stopper, 20 mm, grey
BUTYLATED HYDROXYANISOLE, >=98.5%
C4-C24 EVEN CARBON STD FAEES 1X1ML,HEX
Cadaverine
CAFFEIC ACID
CAFFEINE, POWDER, REAGENTPLUS(R)
CALCIUM CARBONATE, PH EUR
Calcium Standard for AAS, TraceCERT TM
Calcium stearate
CANNABIDIOL
CANNABIDIOL1.0?MG/ML IN METHANOL, AMPULE
CARBAMAZEPINE
CARBAZOLE VETRANAL, 250 MG
CARBENICILLIN DISODIUM SALT BIOREAGENT P
CEFOTAXIME SODIUM SALT, PLANT CELL CULTU
CEFTAZIDIME HYDRATE, >=90%, CONTAINS ~10
CELL PROLIFERATION KIT I (MTT)
CELL PROLIFERATION REAGENT WST-1
CELL PROLIFERATION REAGENT WST-1, 8 ML
CELLULASE FROM ASPERGILLUS NIGER
CELLULASE FROM TRICHODERMA REESEI, AQUEO
CELLULOSE FIBROUS, MEDIUM
CESIUM FLUORIDE, 99.9%
CETIRIZINE DIHYDROCHLORIDE, >=98% (HPLC)
CHLORODIMETHYLPHENYLSILANE, 98%
CHLOROFORM , CONTAINS 100 - 200 PPM&
CHLOROFORM, ANHYDROUS, 99+%
CHLOROFORM: ISOAMYL ALCOHOL 24:1*MOLECUL
CHLOROFORM-D, 99.8 ATOM % D
CHLOROSULFONIC ACID, 99%
CHLOROTHIAZIDE

CHRYSENE, 1X1ML, ACET, 1000UG/ML
CHRYSOPHENINE (C.I. 24895)
CIS-3-HEPTEN-1-OL
CITRIC ACID, ANHYDROUS, CELL CULTURE TE&
CLIMBAZOL PESTANAL<TM>
CLOXACILLIN SODIUM SALT MONOHYDRATE, BE&
CM SEPHADEX
COBALT IRON OXIDE, NANOPOWDER, 30 NM (T&
Cobalt(II) acetate, 99.995% metals basis
COLCHICINE CRYSTALLINE
Collagenase Clostridium histolyticum, Ty
cOmplete(TM), Mini, EDTA-free Protease I
CONTACT A. TR. SOY W. LTH-RT 234E-20P
Copper Standard for AAS, TraceCERT TM
Copper(II) nitrate trihydrate
COPPER(II) OXIDE, NANOPOWDER, <50 NM (T&
COPPER(II) SULFATE PENTAHYDRATE, 98+%, A
COUMARIN CRYSTALLINE
COUMARIN-3-CARBOXYLIC ACID, 99%
CRESYL VIOLET ACETATE CERTIFIED
CROTONIC ACID, 98%
CROWN ETHER/18-CROWN-6 FOR SYNTHESIS
CRYSTAL VIOLET, CERTIFIED
CURCUMIN, HIGH PURITY
CYANOBACTERIA BG-11 FRESHWATER SOLUTION
CYCLODODECANONE, 99+%
CYCLOPHOSPHAMIDE, EUROPEAN PHARMACOPOEIA
CYSTAMINE DIHYDROCHLORIDE, 96%
CYTOSINE ?ETA-D-ARABINOFURANOSIDE, CRYST
CZAPEK-DOX BROTH
D(-)MANNITOL FOR MICROBIOLOGY
D-(+)-GLUCOSE
D-(+)-GLUCOSE BIOXTRA
D-(+)-MALTOSE MONOHYDRATE, FROM POTATO
D-(+)-Sucrose
D(+)TREHALOSE REDUCED METAL ION CONTENT
D,L-METANEPHRINE HYDROCHLORIDE
D-2-PHOSPHOGLYCERIC ACID BARIUM SALT HYD
Dansyl chloride
DANSYLCADAVERINE SUITABLE FOR FLUORESCEN
DATP,PCR GRADE DI-NA SLT
DEXAMETHASONE BIOREAGENT, SUITABLE FOR C
DGTP,PCR GRADE SLT
DI(ETHYLENE GLYCOL) ETHYL ETHER, 99+%
DI(ETHYLENE GLYCOL), REAGENTPLUS, 99%
DI(PROPYLENE GLYCOL), 99%, MIXTURE OF IS
DIALLYL DISULFIDE
DIALYSIS TUBING CELLULOSE MEMBRANE FLAT
DIETHYL ACETYLENEDICARBOXYLATE, 95%
DIETHYL ETHYLMALONATE, 99%

DIETHYLAMINE
DIETHYLENE GLYCOL MONOMETHYL ETHER FOR S
Difenacoum
DIG WASH AND BLOCK BUFFER SET 1 PC
Dihexyl phthalate
Dihydrocapsaicin
Diisopentyl phthalate
DIISOPROPYL ETHER (STABILIZED WITH 2,6-D
Dimethyl 2,6-dibromoheptanedioate, 97%
DIMETHYL CARBONATE, >=99%, ANHYDROUS
Dimethyl disulfide =99.0%
DIMETHYL PIMELIMIDATE DIHYDROCHLORIDE
DIMETHYL SULFOXIDE, FOR MOLECULAR BIOLOG
DIMETHYL SULFOXIDE, REAGENTPLUS(R), >=99
DIPENTYL PHTHALATE
DIPHENHYDRAMINE HYDROCHLORIDE, >=98%&
DIPHENYLAMINE PESTANAL, 250 MG
DIRECT BLUE 15
DIRECT BROWN 1 (C.I. 30045)
DIRECT GREEN 1 (C.I. 30280)
D-ISOASCORBIC ACID, 98%
DISPERSE BLUE 1 (C.I. 64500)
DL-Dithiothreitol, >=98% (HPLC), >=99.0%
DL-HOMOCYSTEINE
DL-LACTIC ACID SODIUM
DL-LACTIC ACID, APPROX. 90% T
DL-METHIONINE, >=99%
DL-Tartaric acid ReagentPlus®, 99%
DL-TARTARIC ACID, REAGENTPLUS(R), 99%
DL-TARTARIC ACID, REAGENTPLUS(R), 99%
D-MANNITOL
D-METHIONINE, >=98% (HPLC)
DNA MW-MARKER III
DNA MW-MARKER VIII
DNA, LAMBDA
DODECYL SULFATE, SODIUM SALT, 99+%,
Dopamine hydrochloride
DOW CORNING HIGH-VACUUM SILICONE GREASE
DOWEX 50WX8-400 ION-EXCHANGE RESIN
DOWEX MARATHON MSC (H) ION-EXCHANGE RESI
DOXYCYCLINE HYCLATE
D-PANTOTHENIC ACID HEMICALCIUM SALT, >=9
D-PHENYLALANINE METHYL ESTER HYDROCHLORI
DTTP, PCR GRADE, 25 UMOL
DYNALON UV-GRADE METHACRYLATE SEMI-MICRO
EICOSANE, 99%
ENALAPRIL MALEATE
EPIBROMHYDRIN 98%(GC)
EPITESTOSTERONE
EPPENDORF(R) COMBITIPS ADVANCED(R) PIPE&

ERYTHROSINE B (C.I. 45430) FOR MICROSCOP
ESTRONE
ETHANOLAMINE FREE BASE
ETHYL 3-AMINOBENZOATE, METHANESULFONIC A
ETHYL ACRYLATE, CONTAINS 10-20 PPM MEHQ&
ETHYL BENZOATE, 99+%
ETHYL CROTONATE, 96%, PREDOMINANTLY TRAN
ETHYL FORMATE, 97%
ETHYL LACTATE, >=98%, FCC, FG
ETHYL LEVULINATE, 99%
ETHYL PROPIOLATE, 99%
ETHYL-BETA-D-GLUCURONIDE-D5
ETHYLENE GLYCOL DIMETHACRYLATE, 98%, CO&
ETHYLENE GLYCOL, ANHYDROUS, 99.8%
ETHYLENE GLYCOL, REAGENTPLUS, >=99%
ETHYLENEDIAMINETETRAACETIC ACID DISODIUM
EVEROLIMUS
EX-CELL(TM) 302 w/o PR 1L
F.A.M.E. MIX, C14-C22, 100MG NEAT
F.A.M.E. MIX, C8-C24, 100MG NEAT
Famotidine
FIRST STRAND CDNA SYNT. KIT FOR RT-PCR
Flat bottom headspace vial, 20 ml, 23 x
FLAVONE, >=99.0%
FLIBANSERIN
Fluconazole
FLUORENE, 98%
FLUORESCCEIN ISOTHIOCYANATE-DEXTRAN
FOLIN & CIOCALTEU'S PHENOL REAGENT
FOLIN-DENIS' REAGENT, FOR THE DET. OF PH
FORMALDEHYDE SODIUM BISULFITE ADDITION C
FORMALDEHYDE SOLUTION, ACS REAGENT, 37 W
FUCHSIN, FOR MICROSCOPY
FUCOSTEROL
Gallic acid monohydrate, ACS reagent, =9
GALLIUM-INDIUM EUTECTIC, 99.99+%
GALVINOXYL, FREE RADICAL
GAMMA-AMINO-N-BUTYRIC ACID CRYSTALLINE
GENTAMICIN SOLUTION STERILE-FILTERED, BI
GLUTAMATE DEHYDROGENASE (GLDH)
GLYCEROL DIGLYCIDYL ETHER, TECH.
GLYCEROL MOLECULAR BIOLOGY REAGENT
Glyceryl trioleate, Sigma Grade, >= 99 %
GLYCINE, ELECTROPHORESIS REAGENT
GLYCINE, REAGENTPLUS(TM), >= 99% (HPLC)
GLYCOLIC ACID, REAGENTPLUS(R), 99%
GLY-GLY
GOAT ANTI-MOUSE IGG (FAB SPECIFIC)*PEROX
GOLD CHLORIDE SOLUTION, 200 MG/DL IN DEI
GOLD(III) CHLORIDE HYDRATE, 99.999% MET

GOLD(III) CHLORIDE HYDRATE, AU APPROX. &
GUILLARD'S (F/2) MARINE WATER*ENRICHMENT
HANKS' BALANCED SALT SOLUTION, MODIFIED,
HANUS SOLUTION FOR DETERMINATION
Hanus-Oplossing voor de bepa 1 L
HEMATOXYLIN SOLUTION MAYER'S, PH 2.4
HEMOGLOBIN FROM BOVINE BLOOD, PGE. WITH
HENEICOSANOIC ACID
HEPARIN SODIUM SALT FROM PORCINE INTESTI
HEPES
HEPES SOLUTION BIOXTRA, 1 M, PH 7.0-7.6,
HEPTAFLUOROBUTYRIC ACID, 98%
HESPERIDIN
HESPERIDIN
HEXADECYLTRIMETHYLAMMONIUM BROMIDE BIOXT
HEXAMETHYLENEDIAMINE, 98%
HEXAMETHYLENETETRAMINE, REAGENTPLUS(R),
HEXYLAMINE, 99%
HIGH PURE PCR CLEANUP MICRO KIT 200 PREP
HIGH PURE PCR CLEANUP MICRO KIT 50 PREP.
HIPPURIC ACID, 98%
HISTRAP FF, 5 X 1 ML 40% korting i.o.m. Anna Merabet
HITRAP DESALTING, 5X5ML
HITRAP Q HP, 5 X 1 ML
HITRAP SP FF, 5 X 1 ML
HP PCR TEMPLATE PREPARATION KIT
HP PLASMID ISOLATION KIT 50 PCS.
HUMAN GENOMIC DNA
HYBOND-N, 20CMX3M
HYDROCORTISONE
Hydrogen chloride solution
HYDROQUINONE, REAGENTPLUS TM, >= 99%
Hydroxyethyl-cellulose
HYDROXYPROPYLMETHYLCELLULOSE APPROX*4,00
IBUPROFEN SODIUM
IGEPAL CA 630
IGEPAL CA-630 MOLECULAR BIOLOGY GRADE
INDIUM TIN OXIDE COATED GLASS SLIDE, SUR
INDOLE, 99+%
INSULIN FROM BOVINE PANCREAS
IODINE MONOCHLORIDE SOLUTION, 1 M IN AC&
IRON(III) CHLORIDE, SUBLIMED GRADE, >=9&
Iron(III) sulfate hydrate, 97%
ISOBUTYL VINYL ETHER, CONTAINS 0.1% POT&
isoforon diamine (mengsel va 100 ML
ISOPROPYL B-D-THIOGALACTOPYRANOSIDE*DIOX
Isopropylamine, >=99.5%
ISOPROPYL-B-D-THIOGALACTOSIDE (IPTG), 1G
ITRACONAZOLE
Kaliumthiocyanaat zuiver 1 KG

KETOCONAZOLE, >=98% (HPLC)
KETOPROFEN
Kollicoat(R) MAE 100 P
L(-)-NICOTINE PESTANAL
L(+)ARABINOSE
LACTOSE, TESTED ACCORDING TO PH.EUR.
LANTHANUM NITRATE HEXAHYDRATE, 99.99%
L-ASPARAGINE MONOHYDRATE BIOREAGENT, SUI
L-ASPARTIC ACID SODIUM SALT MONOHYDRATE&
LAURIC ACID, >=98%, FCC, FG
LAUROYL CHLORIDE, 98%
LB BROTH (LENNOX), POWDER MICROBIAL GRO&
LB BROTH WITH AGAR (MILLER), POWDER MIC&
L-CARNITINE HYDROCHLORIDE, SYNTHETIC
L-CARNOSINE CRYSTALLINE
Lead Standard for AAS, TraceCERT TM
LECTIN FROM PHYTOLACCA AMERICANA CELL*CU
LENALIDOMIDE
LEVONORGESTREL
L-GLUTAMIC ACID GAMMA-(P-NITROANILIDE)*F
L-GLUTAMIC ACID, REAGENTPLUS(TM), >=99%&
LIGHT GREEN SF YELLOWISH CERTIFIED
Linalool, 97%
LINOLENIC ACID
LIPASE ACRYLIC RESIN
Lipase B Candida antarctica immobilized
Lipase, immobilized on Immobead 150
LITHIUM ALUMINUM HYDRIDE, REAGENT GRADE&
Lithium Standard for AAS
L-LDH, (RABBIT MUSCLE), 10 MG
L-LDH, (RABBIT MUSCLE), 25 MG
LORATADINE
LOVASTATIN, EUROPEAN PHARMACOPOEIA (EP)
L-PROLINE, REAGENTPLUS(TM), >=99% (HPLC&
LYCOPENE
Lysostaphin from Staphylococcus staphylolyticus
LYSOSTAPHIN FROM STAPHYLOCOCCUS*STAPHYLO
LYTICASE FROM ARTHROBACTER LUTEUS
MAGNESIUM CHLORIDE ANHYDROUS
Magnesium-stearat, techn.
MANGANESE CHLORIDE
MANGANESE(II) ACETATE TETRAHYDRATE, 99+%
MANGANESE(II) CHLORIDE, POWDER AND CHUN&
M-CRESOL, STANDARD FOR GC
MELANIN
MELATONIN CRYSTALLINE
MELOXICAM
META-ANISALDEHYDE, 97%
MET-ARG-PHE-ALA ACETATE
METHACRYLIC ACID, CONTAINS 250 PPM MEHQ&

METHANESULFONIC ACID, >=99.0%
METHOTREXATE HYDRATE
METHOXYLAMINE HYDROCHLORIDE, 98%
METHOXYPHENAMINE HYDROCHLORIDE
METHYL (+/-)-2-BROMOPROPIONATE, 98%
METHYL (R)-(-)-3-HYDROXYBUTYRATE, 99%
METHYL 3-AMINO-4-METHYLTHIOPHENE-2-CARBO
METHYL ACETATE, ANHYDROUS, 99.5%
METHYL ACETOACETATE, REAGENTPLUS(R), 99%
METHYL HEPTADECANOATE, STANDARD FOR GC
Methyl methacrylaat (gestabi 2,5 L
Methyl methacrylate
METHYL METHACRYLATE (STABILISED) FOR SYN
METHYL METHACRYLATE, CONTAINS <=30 PPM &
METHYL NONADECANOATE, STANDARD FOR GC
METHYL PROPIOLATE, 99%
METHYL RED, CRYSTALS, A.C.S. REAGENT
METHYL TRIDECANOATE
METHYL TRIDECANOATE, STANDARD FOR GC
METHYL VALERATE, STANDARD FOR GC
METHYL VIOLET, FOR MICROSCOPY
METHYLENE BLUE, CERTIFIED BY THE BIOLOGI
METHYLHEXANAMINE HYDROCHLORIDE
METHYLMALONIC ACID, 99%
METHYLTESTOSTERONE, EUROPEAN PHARMACOPOE
METHYLTRICHLOROSILANE, 99%
MF-MILLIPORE MEMBRANE FILTER, MIXED CEL&
Microcrystalline cellulose, European Pha
MITOMYCIN, EUROPEAN PHARMACOPOEIA (EP) R
Molybdenum Standard for AAS
MONOCLONAL ANTI-INSULIN CLONE K36AC10
MORIN HYDRATE
Mowiol(R) 20-98
M-TOLUALDEHYDE, 97%
MULTIWELL PLATE, POLYSTYRENE 96-WELL U-B
MUREXIDE
MUTANOLYSIN FROM STREPTOMYCES*GLOBISPORU
MYRISTICIN
N-(1-NAPHTHYL)ETHYLENEDIAMINE DIHYDROCHL
N-(PHOSPHONOMETHYL)GLYCINE, 96%
N-(TERT-BUTOXYCARBONYL)-L-ASPARTIC ACID,
N,N,N',N'-TETRAMETHYLETHYLENEDIAMINE, RE
N,N-Dimethylacetamide synth 1 L
N,N-DIMETHYLACETAMIDE, FOR HPLC, >=99.9&
N,N-DIMETHYLETHANOLAMINE
N,N-DIMETHYLFORMAMIDE DIMETHYL ACETAL, T
N,N-DIMETHYLFORMAMIDE EMPLURA(R)
N,N-DIMETHYLHEXADECYLAMINE
N,O-BIS(TRIMETHYLSILYL)TRIFLUORO-ACETAMI
N,O-BIS(TRIMETHYLSILYL)TRIFLUOROACETAMID

N-?BENZYLIDENE BENZYLAMINE, CONTAINS 100&
NADOLOL
NANDROLON VETRANAL, 250 MG
NAPROXEN SODIUM
NARINGIN >= 95% (HPLC)
N-BENZYLHYDROXYLAMINE HYDROCHLORIDE, 97%
NBT/BCIP STOCK SOLUTION
N-BUTYL ACETATE FOR ANALYSIS EMSURE(R)
n-BUTYL LITHIUM, 1.6M SOLUTION IN HEXANES
NEO-MOUNT ANHYDROUS MOUNTING MEDIUM FOR
NEOSTIGMINE METHYL SULFATE
NEUTRAL RED, FOR MICROSCOPY
NICOTINAMIDE ADENINE DINUCLEOTIDE FREE A
NIGROSIN STAIN SOLUTION, 10% IN WATER
NIMESULIDE
NINHYDRIN REAGENT SOLUTION
N-ISOPROPYLACRYLAMIDE, 97%
NITRO BLUE TETRAZOLIUM GRADE III*CRYSTAL
NITROETHANE FOR SYNTHESIS 500 ML
N-LAUROYLSARCOSINE SODIUM SALT BIOXTRA
N-METHYL-BIS-HEPTAFLUOROBUTYRAMIDE
N-METHYL-BIS-TRIFLUOROACETAMIDE
N-METHYLMALEIMIDE, 97%
N-METHYL-N-TRIMETHYLSILYLTRIFLUOROACETA-
N-NITROSODIPHENYLAMINE
n-Octaan synthese kwaliteit 25 ML
NONANOIC ACID, 96%
NORTRIPTYLINE HYDROCHLORIDE
OATMEAL AGAR
OCTANOIC ACID, 98+%
Omeprazole
ORANGE G, CERTIFIED
Oxalic acid dihydrate, ACS reagent, =99%
OXALIC ACID-2-HYDRATE R. G., REAG. ACS,
OXONE, MONOPERSULFATE COMPOUND
PALLADIUM(II) NITRATE DIHYDRATE, PD APP&
PALMITIC ACID FREE ACID SIGMA GRADE
PANTOPRAZOLE SODIUM
PARA-TOLUENESULFONYL FLUORIDE, 98%
P-BENZOQUINONE, REAGENT GRADE, >=98%
P-CRESOL, >=99%, FG
PECTINANSE FROM ASPERGILLUS ACULEATUS
PENICILLIN G POTASSIUM SALT BIOREAGENT,
PENICILLIN G SODIUM SALT BIOREAGENT, SU&
PENICILLIN G SODIUM SALT, 96.0-102.0%
PENICILLINASE FROM FROM BACILLUS CEREUS
PENICILLINASE TYPE I FROM*BACILLUS CEREU
PENICILLIN-G SODIUM
PENTADECANOIC ACID
PENTAFLUOROPROPIONIC ANHYDRIDE, 99%, DER

PEPTONE FROM CASEIN AND OTHER ANIMAL PRO
PEPTONE WATER PHOSPHATE-BUFFERED, FOR MI
Perchloridezuur-oplossing in 1 L
PERIODIC ACID, REAGENTPLUS TM 99.0%
PEROXIDASE CONJUGATE GOAT ANTI-RABBIT*IG
PEROXIDASE CONJUGATE-GOAT*ANTI-RABBIT IG
Peroxidase from horseradish Type VI-A, e
PEROXIDASE TYPE I FROM HORSERADISH
PHASTGEL IEF 3-9
PHENOL - CHLOROFORM - ISOAMYL ALCOHOL MI
Phenoxyacetic acid sodium salt
PHENYL ACETATE, 99%
PHENYL ETHER, REAGENTPLUS, 99%
PHENYLACETALDEHYDE, 90+%
PHENYLBUTAZONE,?ANALYTICAL STANDARD
PHENYLMETHANESULFONYL FLUORIDE >= 9&
PHOSPHATASE, ACID FROM POTATO, LYOPHILIZ
PHOSPHATASE, ACID TYPE IV-S FROM POTATO
Phosphomolybdic acid hydrate for micro &
PHOSPHOMOLYBDIC ACID SOLUTION, READY-TO-
PHOSPHOTUNGSTIC ACID FREE ACID*CRYSTALLI
PHTHALIC ACID
PIPERIDINE, REAGENTPLUS, 99%
Piperine, >/= 97%
POLY(4-VINYLPHENOL), AVERAGE MW CA. 20,0
POLY(ETHYLENE GLYCOL) BIOXTRA, AVERAGE M
POLY(ETHYLENE GLYCOL), AVERAGE MN 400
POLY(N-ISOPROPYLACRYLAMIDE), AVERAGE MN&
POLY(VINYL CHLORIDE) HIGH MOLECULAR WEIG
POLYETHYLENE GLYCOL 400 FOR SYNTHESIS
POLYETHYLENE GLYCOL 8'000, FOR MOLECULAR
POLYETHYLENE GLYCOL AV. MOL. WT. 200
POLYETHYLENIMINE, AVERAGE MN CA. 1,200,
POLYSTYRENE STANDARD 1'000
POLYSTYRENE STANDARD 500
POLYVINYLPYRROLIDONE AV. MOL.*WT. 360,00
POTASSIUM ACETATE BIOXTRA
POTASSIUM ACETATE, 98%
POTASSIUM DISULFITE
POTASSIUM HYDROGEN PHTHALATE, 99.95-100.
POTASSIUM HYDROXIDE SOLUTION 1 L
POTASSIUM IODIDE
POTASSIUM PERMANGANATE, 99+%,
Potassium Standard for AAS
Potassium Standard for IC
POTASSIUM SUPEROXIDE, POWDER
PRAVASTATIN SODIUM, UNITED STATES PHARMA
PREDNISOLONE
PREMIX 10XTBE BUF/WAS 100957 4 L
PROCAINE HYDROCHLORIDE

PROINSULIN C-PEPTIDE (55-89) HUMAN, BIOA
Propionzuuranhydride syntheses 1 L
PROPYLENE CARBONATE, ANHYDROUS, 99.7%
Propylene glycol
Proteinase K 100 MG
PROTEINASE K,RECOMB.,PCR GRD.LYO,2X250MG
PROTEINASE K,RECOMB.,PCR GRD.LYO.,100 MG
PROTOPORPHYRIN IX, DISODIUM SALT, >=90%&
p-Toluenesulfonic acid monohydrate, ACS
P-TOLUENESULFONYL CHLORIDE, REAGENT GRAD
Putrescine
Pyrethrum-Extract PESTANAL. technical mi
PYREX DISPOSABLE CULTURE TUBES, 15.0ML,
PYRIDINE, ANHYDROUS, 99.8%
PYRIDINIUM DICHROMATE, 98%
QUANTOFIX SULFITE TEST STICKS, FOR SEMI-
QUERCETIN
Quercetin hydrate, >=95%
QUINOLINE, 98%
RABBIT ANTI-GLIADIN (WHEAT) FRACTIONATE&
RABBIT ANTI-STAPHYLOCOCCAL *ENTEROTOXIN
RABBIT ANTI-STAPHYLOCOCCAL*ENTEROTOXIN B
RANEY 2800 NICKEL, ACTIVE CATALYST, SLU&
REACTIVE RED 120
RESERPINE CRYSTALLIZED, >= 99.0% (HPLC)
Resorcinol, ACS reagent, =99.0%
RESTR.-ENDONUCL. MAE III, 50 U
RETINOIC ACID
RHODAMINE 6G (LASER DYE)
RHODAMINE B, >=95 % (HPLC)
RIBONUCLEASE A SOLUTION MOLECULAR*BIOLOG
RIFAMPICIN, POWDER, >= 97% (HPLC)
RNASE A, 100 MG
ROSUVASTATIN CALCIUM
S-(5'-ADENOSYL)-L-METHIONINE CHLORIDE DI
S-(5'-ADENOSYL)-L-METHIONINE P-TOLUENESU
S-ADENOSYL-L-HOMOCYSTEINE
S-ADENOSYL-L-HOMOCYSTEINE
SAHA
SALBUTAMOL FREE BASE
SALICYLALDEHYDE, 98%
SALICYLIC ACID
SALICYLIC ACID, 99+%, A.C.S. REAGENT
S-ALLYL-L-CYSTEINE
SAND, 50-70 MESH
SCHIFF'S REAGENT
SCREW-TOP TUBES WITH O-RING CAP, 2 ML C&
SEALING TAPE, PROPYLENE, 3 IN. WIDE, FOR
SELENIUM SULFIDE
SELENOUREA, 98%

SIBUTRAMINE HYDROCHLORIDE MONOHYDRATE
Sigma-Aldrich glass beaker with handle
SILDENAFIL
SILDENAFIL CITRATE
SILICA GEL, GRADE 60, 70-230 MESH
SIMVASTATIN
SODA LIME, GRANULAR, +100 MESH, A.C.S. R
SODIUM ACETATE ANHYDROUS, >99%, FCC, FG
SODIUM ACETATE TRIHYDRATE BIOXTRA
SODIUM ACETATE, ANHYDROUS, FOR&
SODIUM ASCORBATE
SODIUM BICARBONATE, POWDER, BIOREAGENT,
SODIUM CITRATE DIHYDRATE, >=99%, FG
Sodium citrate monobasic anhydrous
SODIUM CYCLOPENTADIENYLIDE, 2.4 M IN THF
SODIUM DIETHYLDITHIOCARBAMATE TRIHYDRAT&
SODIUM DL-LACTATE SOLUTION SYRUP, BIOREA
Sodium dodecyl sulfate, dust-free pellet
SODIUM FLUORIDE, 99.99% METALS BASIS
SODIUM HYPOPHOSPHITE MONOHYDRATE
SODIUM METHOXIDE, 25 WT. % SOLUTION IN M
SODIUM PERSULFATE, REAGENT GRADE, >=98%
Sodium phosphate dibasic dihydrate
SODIUM PHOSPHATE DIBASIC DODECAHYDRATE &
SODIUM PHOSPHATE DIBASIC, HEPTAHYDRATE*A
SODIUM PHOSPHATE MONOBASIC DIHYDRATE BI&
SODIUM PHOSPHATE MONOBASIC MONOHYDRATE,&
SODIUM SALICYLATE, REAGENTPLUS TM, >= 99
Sodium Standard for AAS
Sodium Standard for IC
SODIUM SULFIDE 60-62 %, SCALES
SODIUM TETRAFLUOROBORATE FOR SYNTHESIS
SODIUM THIOSULFATE ANHYDROUS
SORBIC ACID
Spermidine
SS EPA 610 POLYNUCLEAR AROMATIC HYDROCAR
STAPHYLOCOCCAL ENTEROTOXIN A FROM*STAPHY
STAPHYLOCOCCAL ENTEROTOXIN B FROM*STAPHY
STARCH WHEAT UNMODIFIED
STARCH, SOLUBLE ACS REAGENT
STIRRER GUIDE FOR 10MM SHAFT, ST 29/32
STREPTAVIDIN-AP-CONJUGATE
SUBA SEAL RED RUBBER SEPTA, FOR CONTAIN
SULFAMIC ACID, ACS, TITRIMETRIC STANDARD
SULFANILIC ACID, 99%, A.C.S. REAGENT
SULFOLANE, 99%
Sulfuric acid solution, Eluent concentra
SULFURIC ACID, 95-98%, A.C.S. REAGENT
SUPEL GENIE HYBRIDSPE ONLINE SPE &
SUPELCO 37 COMPONENT FAME MIX, 10MG/ML&

Synephrine
TADALAFIL, EUROPEAN PHARMACOPOEIA (EP) R
TALC, <350 MESH
TAUROCHOLIC ACID SODIUM SALT HYDRATE ,>=
TEMED
TERBINAFINE HYDROCHLORIDE
TERBUTALINE HEMISULFATE
TEREPHTHALALDEHYDE, REAGENTPLUS(R), 99%
TERT-BUTYLDIMETHYLSILYL CHLORIDE, 97%
TEST MIXTURE 2 FOR APOLAR CAPILLARY COLU
TESTOSTERONE
TESTOSTERONE1.0?MG/ML IN ACETONITRILE, A
TESTOSTERONE-2,3,4-13C3 SOLUTION, 0.1 MG
TESTOSTERONE-D3 (16, 16, 17-D3)
Tetrabutylammonium bromide, ACS reagent,
TETRABUTYLAMMONIUM FLUORIDE HYDRATE, 98%
TETRABUTYLAMMONIUM HYDROXIDE,
TETRABUTYLAMMONIUM HYDROXIDE, 1.0M SOLUT
TETRABUTYLAMMONIUM HYDROXIDE, 40 WT. % S
TETRABUTYLAMMONIUM TRIPHENYLDIFLUORO-SIL
TETRACYCLINE HYDROCHLORIDE CELL CULTURE
TETRAHEXYLAMMONIUM BROMIDE, 99%
TETRAMETHYLSILANE, ACS, CALIBRATION STD
TETRAPHENYLPHOSPHONIUM CHLORIDE, 98%
THERMOLYSIN FROM GEOBACILLUS STEARO&
THIOCARBANILIDE, 98%
THIOLACETIC ACID, 96%
Thionyl chloride synthese kw 500 ML
Thymoquinone
Titanium(IV) isopropoxide, >= 97.0 %
TITRIPLEX III GR FOR ANALYSIS (ETHYLENED
TNCA
TOLCLOFOS-METHYL PESTANAL, 250 MG
TOMATIDINE HYDROCHLORIDE
Tramadol hydrochloride
TRANS-2-DECENAL, >=95.0%
TRANS-3-(3-PYRIDYL)ACRYLIC ACID, 99%
TRANSCRIPTOR REVERSE TRANSCRIPTASE,2000U
TRANSCRIPTOR REVERSE TRANSCRIPTASE,500 U
TRAZODONE-D6 HCL
TRIBUTYL ACETYLCITRATE, 98+%
TRIBUTYL PHOSPHATE
TRIBUTYRIN-STRIPS*
TRICHLOROACETIC ACID SOLUTION, 6.1 N
TRICHOSTATIN A
TRICINE
TRIDECANOIC ACID
TRIETHANOLAMINE
TRIETHANOLAMINE, 98%
Triethyl citrate, >= 98.0 % GC

TRIETHYLAMINE
TRIMETHYL ORTHOFORMATE, 99%
TRIMETHYLAMINE HYDROCHLORIDE, 98%
TRIMETHYLOLPROPANE TRIACRYLATE, CONTAINS
TRIMETHYLSILYLACETYLENE FOR SYNTHESIS
TRIPLENNAMINE HYDROCHLORIDE
TRIPURE ISOLATION REAGENT 200 ML
TRIPURE ISOLATION REAGENT, 50 ML
TRIS(3-(TRIFLUOROMETHYLHYDROXYMETHYLENE)
TRIS(HYDROXYMETHYL)AMINOMETHANE, 99.8+%
TRIS-BORATE-EDTA BUFFER 10X CONCENTRATE
TRIZMA(R) BASE, BIOPERFORMANCE CERTIF&
TRIZMA(R) BASE, PRIMARY STANDARD AND BUF
TRIZMA(R) MALEATE
TROMETHAMINE USP
TRYPAN BLUE SOLUTION CELL CULTURE*TESTED
TWEEN(R) 20 POLYOXYETHYLENESORBITAN MONO
UREA HYDROGEN PEROXIDE, 97%
URIDINE BIOREAGENT, SUITABLE FOR CELL CU
VALERIC ANHYDRIDE, 97%
VAN GIESON SOLUTION
VANCOMYCIN HCL
Vanilline synthese kwaliteit 100 G
VARDENAFIL DIHYDROCHLORIDE
VINYL ACETATE, 99+%
VITAMIN B12, >=98%
Xanthan from Xanthomonas campestris
XANTHOMOL
YEAST SYNTHETIC DROP-OUT MEDIUM*SUPPLEME
ZCITESTOSTERONE1.0?MG/ML IN ACETONITRILE
ZINC ACETATE, 99.99% METALS BASIS
ZINC NITRATE HEXAHYDRATE, CRYSTALLIZED
ZINC PYRITHIONE
ZINC, POWDER
ZIRCONIUM(IV) CHLORIDE ANHYDROUS, FOR SY