



Date 02 March 2022
Status Final

Integrated Ground Model

IJmuiden Ver Sites V & VI

Annex 5

Starting Point and Assumptions

IJmuiden Ver Wind Farm Zone

Colophon

Project name	Integrated Ground Model IJmuiden Ver Wind Farm Sites V & VI
Project number	202111047 / WOZ2210282
Version	01
File name	IJ56_GM_Annex 5_Starting Points Assumptions_F.docx
Annex(es)	2
Author	J. Bronkhorst
Reviewed	M. Vrolijk
Approved	P. Lebbink

Revision History

Date	Page	Revision
22 February 2022	-	01 - First publication

Contents

1	Introduction	5
2	General introduction to the offshore wind energy in the Netherlands.....	6
3	General introduction IJmuiden Ver WFZ	9
4	Quality requirements.....	14
5	Communication.....	18

1 Introduction

This document provides the starting points and assumptions for the IJmuiden Ver Wind Farm Sites V & VI. The starting points and assumptions are to be used by contractors when executing investigations, studies or likewise, for the development of the IJmuiden Ver Wind Farm Sites V & VI and commissioned by one of the following organisations:

- The Ministry of Economic Affairs and Climate Policy
- The Ministry of Infrastructure and Water Management
- Netherlands Enterprise Agency (RVO)
- Rijkswaterstaat
- Tennet TSO B.V.

This document is part of the QA/QC process for these studies.

Please note:

- This is a living document; before use check the revision history for the latest updates (to be confirmed by your client)

If you have any queries please contact your client.

2 General introduction to the offshore wind energy in the Netherlands

2.1 Existing offshore wind farms

The Netherlands' existing offshore wind farms have a combined capacity of approximately 3,000 MW, of which 2,000 MW is fully operational.

Table 1 Wind Farms in the Dutch North Sea (operational or under construction)

Windfarm	Sites	Distance of the coast	Year of commissioning	Turbines	Owner
Offshore Wind Farm Egmond aan Zee (OWEZ)		10-18 km	2008	36 Vestas 3 MW	Noordzeewind (joint venture NUON and Shell)
Prinses Amalia Wind Farm		23 km (12 NM)	2009	60 Vestas 2 MW	Eneco
Luchterduinen		23 km (12 NM)	2015	43 Vestas 3 MW	joint venture Eneco and Mitsubishi Corporation
Gemini		85 km	2017	150 Siemens 4 MW	Northland Power, Siemens, Van Oord and HVC
Borssele	I – II	22 km	2020	94 Siemens 8 MW	Ørsted
	III – IV		2020	77 Vestas 9,5 MW	Blauwwind
	V		2021	2 Vestas 9,5 MW	Two Towers
Hollandse Kust (Zuid)	I – IV	18 km	Under construction	140 Siemens 11 MW	Vattenfall

2.2 The roadmap 2030 towards 49 TWh/a offshore wind power

As part of its climate goals, the Dutch Government aims to have 49 TWh/a offshore wind energy feeding into the grid by 2030. This equals to ~40% of the current Dutch electricity consumption.

The roadmap to achieve this goal sets out a schedule of tenders, with each tender offering 1 or 2 wind farm sites of 700 MW or 1,000 MW of development during in the period 2015 – 2025. RVO is starting the works to characterize two additional sites within the IJmuiden Ver Wind Farm Zone to prepare for the development of offshore wind.

The wind farms will be built in designated Wind Farm Zones. Wind farms outside these Wind Farm Zones are prohibited. Within the designated Wind Farm Zones the government defines the specific sites where wind farms can be constructed using a so-called Wind Farm Site Decision ('Kavelbesluit'). This Wind Farm Site Decision contains all conditions for building and operating a wind farm on that specific site.

The Dutch Government provides comprehensive site data and Dutch transmission system operator TenneT is responsible for grid connection.

Developers can apply in tenders for the permits to build and operate a wind farm according to a Wind Farm Site Decision. Winners of these permit tenders will be granted a permit and a grid connection

to the main land. RVO is responsible for the site data, which can be used for the preparation of bids for these tenders.

Table 2 Wind Farm Zones in the Dutch North Sea

Wind Farm Zones in the Dutch North Sea				
Wind Farm Zone	Wind Farm Site	Tender	Capacity	Owner
Borssele	I and II	2015	752 MW	Ørsted Borssele 1 B.V.
	III and IV	2016	731 MW	Blauwwind II C.V. (Shell, Van Oord, Eneco, Diamond Generating Europe)
	V	2016	19 MW	Two Towers
Hollandse Kust (zuid)	I and II	2017	740 MW	Chinook (Vattenfall)
Hollandse Kust (zuid)	III and IV	2018	760 MW	Vattenfall
Hollandse Kust (noord)	V	Q4 2019	759 MW	Crosswind
Hollandse Kust (west)	VI and VII	Q2 2021	2 x ≥700 MW	t.b.d.
Ten noorden van de Waddeneilanden	I	Q4 2022	≥700 MW	t.b.d.
IJmuiden Ver	I and II	Q4 2023	≥ 2 x 1,000 MW	t.b.d.
	III and IV	Q4 2025	≥ 2 x 1,000 MW	t.b.d.
	V and VI	t.b.d.	≥ 2 x 1,000 MW	

A tender to develop the IJmuiden Ver Wind Farm Zone is scheduled to open in three stages. Wind farm site I and II are scheduled to open in 2023. Wind farm site III and IV are scheduled to open in 2025. For IJmuiden Ver Sites V & VI site characterization will be started to prepare for offshore wind development. An overview for the roadmap 2030 is provided in figure 1¹.

¹ figure 1 does not show IJmuiden Ver sites V and VI as they are not part of the original roadmap 2030. More information can be found on:
<https://windopzee.nl/onderwerpen/wind-zee/wanneer-hoeveel/wind-zee-2030-0/>

Dutch Offshore Wind Farm Zones




Figure 1 Dutch Offshore Wind Farm Zones overview for road map 2030

3 General introduction IJmuiden Ver WFZ

3.1 Layout & coordinates

The IJmuiden Ver Wind Farm Zone (IJVWFZ) is located 80 kilometres off the west coast of the Netherlands. General characteristics of the IJVWFZ are shown in Table 3. Table 8 and Table 9 show the coordinates of the IJmuiden Ver Wind Farm Sites V & VI (IJVWFS V & VI). Table 10 shows the coordinates of the IJVWFZ. Figure 2 shows the Wind Farm Zone and Wind Farm Site area.

The IJVWFZ is planned to contain a total installed capacity of 6,000 MW divided over 6 sites of 1,000 MW each. The wind farm permit tenders will be held in three phases, with two tenders scheduled to become available between 2023 and 2025. IJVWFS V & VI will be the final phase within the Wind Farm Zone and is an addition to the roadmap 2030.

Table 3 Characteristics of the IJmuiden Ver Wind Farm Zone

Characteristics	
Water depth	Approximately 16.5-47 m LAT
Distance from shore	Approximately 80 km
Total Wind Farm Site area (V & VI)	Approximately 250 km ²

Table 4 Coordinates of the IJmuiden Ver Wind Farm Site I

IJmuiden Ver Wind Farm Site I coordinates		
Point No.	Easting	Northing
S_01	538617.2	5844313.2
S_02	531916.7	5846661.3
S_03	530462.0	5847067.2
S_04	536052.6	5856761.2
S_05	544440.0	5852084.0
WFZ_44	541321.4	5847922.1
Coordinate system: ETRS_1989_UTM_Zone_31N		
WKID: 25831 Authority: EPSG		

Table 5 Coordinates of the IJmuiden Ver Wind Farm Site II

IJmuiden Ver Wind Farm Site II coordinates		
Point No.	Easting	Northing
S_06	529480.8	5847367.6
S_07	524148.0	5849128.2
S_08	522498.2	5849609.3
WFZ_52	527989.9	5859978.7
S_09	528822.7	5862497.9
S_10	535219.3	5857317.9
Coordinate system: ETRS_1989_UTM_Zone_31N		
WKID: 25831 Authority: EPSG		

Table 6 Coordinates of the IJmuiden Ver Wind Farm Site III

IJmuiden Ver Wind Farm Site III coordinates		
Point No.	Easting	Northing
S_11	545045.1	5852891.6
S_12	536552.3	5857627.5

S_13	539469.7	5862686.3
S_14	542291.6	5866171.1
S_15	550006.7	5859513.2
Coordinate system: ETRS_1989_UTM_Zone_31N		
WKID: 25831 Authority: EPSG		

Table 7 Coordinates of the IJmuiden Ver Wind Farm Site IV

Ijmuiden Ver Wind Farm Site IV coordinates		
Point No.	Easting	Northing
S_16	535725.2	5858195.1
S_17	529158.2	5863512.9
S_18	532756.8	5874399.3
S_19	541534.2	5866824.7
S_20	538642.9	5863254.3
Coordinate system: ETRS_1989_UTM_Zone_31N		
WKID: 25831 Authority: EPSG		

Table 8 Coordinates of the IJmuiden Ver Wind Farm Site V

Ijmuiden Ver Wind Farm Site V coordinates					
Point No.	Easting	Northing	Point No.	Easting	Northing
S_21	553840.0	5864629.0	WFZ_34	557332.4	5876030.0
S_22	544570.2	5872588.7	WFZ_35	557838.1	5875441.9
WFZ_26	555339.4	5881786.1	WFZ_36	558391.1	5874898.0
WFZ_27	555370.5	5881011.1	WFZ_37	558988.2	5874402.8
WFZ_28	555466.8	5880241.4	WFZ_38	559624.7	5873959.7
WFZ_29	555626.4	5879482.4	WFZ_39	560295.9	5873571.1
WFZ_30	555849.3	5878739.5	WFZ_40	560996.7	5873238.8
WFZ_31	556134.5	5878018.3	WFZ_41	561723.3	5872967.5
WFZ_32	556478.0	5877323.0	WFZ_42	561003.6	5872341.7
WFZ_33	556877.6	5876658.3	WFZ_43	557030.4	5868886.8
Coordinate system: ETRS_1989_UTM_Zone_31N					
WKID: 25831 Authority: EPSG					

Table 9 Coordinates of the IJmuiden Ver Wind Farm Site VI

Ijmuiden Ver Wind Farm Site VI coordinates					
Point No.	Easting	Northing	Point No.	Easting	Northing
S_23	543802.3	5873248.0	WFZ_05	539986.7	5884481.6
S_24	535372.6	5880486.3	WFZ_06	540687.6	5884611.2
WFZ_01	537146.3	5884508.1	WFZ_07	541443.6	5884816.1
WFZ_02	537853.5	5884419.1	S_25	541485.2	5881716.6
WFZ_03	538565.5	5884384.5	WFZ_25	550145.0	5881716.6
WFZ_04	539278.0	5884405.3	S_26	553775.0	5881765.2
Coordinate system: ETRS_1989_UTM_Zone_31N					
WKID: 25831 Authority: EPSG					

Table 10 Coordinates of the IJmuiden Ver Wind Farm Zone

IJmuiden Ver Wind Farm Zone					
Coordinates according EPSG 25831 – WKID: 25831 Authority ESPG					
Point No.	Easting	Northing	Point No.	Easting	Northing
WFZ_01	537146,3	5884508,1	WFZ_28	555466,8	5880241,4
WFZ_02	537853,5	5884419,1	WFZ_29	555626,4	5879482,4
WFZ_03	538565,5	5884384,5	WFZ_30	555849,3	5878739,5
WFZ_04	539278,0	5884405,3	WFZ_31	556134,5	5878018,3
WFZ_05	539986,7	5884481,6	WFZ_32	556478,0	5877323,0
WFZ_06	540687,6	5884611,2	WFZ_33	556877,6	5876658,3
WFZ_07	541376,5	5884794,5	WFZ_34	557332,4	5876030,0
WFZ_08	542049,1	5885030,6	WFZ_35	557838,1	5875441,9
WFZ_09	542701,5	5885318,0	WFZ_36	558391,1	5874898,0
WFZ_10	543330,1	5885654,1	WFZ_37	558988,2	5874402,8
WFZ_11	543930,5	5886038,2	WFZ_38	559624,7	5873959,7
WFZ_12	544499,5	5886467,6	WFZ_39	560295,9	5873571,1
WFZ_13	545034,1	5886939,0	WFZ_40	560996,7	5873238,8
WFZ_14	545531,2	5887449,8	WFZ_41	561723,3	5872967,5
WFZ_15	545988,2	5887996,8	WFZ_42	561003,6	5872341,7
WFZ_16	546400,1	5888578,6	WFZ_43	557030,4	5868886,8
WFZ_17	546766,2	5889190,2	WFZ_44	541321,4	5847922,1
WFZ_18	547084,8	5889827,7	WFZ_45	531462,7	5834765,1
WFZ_19	547353,9	5890487,7	WFZ_46	530715,4	5833767,8
WFZ_20	547571,5	5891166,5	WFZ_47	530715,4	5833767,7
WFZ_21	547735,6	5891860,2	WFZ_48	527949,9	5830076,5
WFZ_22	548494,6	5891621,1	WFZ_49	514283,0	5830052,5
WFZ_23	549271,7	5891449,5	WFZ_50	512848,4	5830468,0
WFZ_24	550044,2	5891346,6	WFZ_51	512933,5	5831549,4
WFZ_25	550145,0	5881716,6	WFZ_52	527989,9	5859978,7
WFZ_26	555339,4	5881786,1	WFZ_53	532962,6	5875021,7
WFZ_27	555370,5	5881011,1			



Windenergiegebied IJmuiden Ver Kavels




Figure 2 Map of the IJmuiden Ver Wind Farm Zone and Wind Farm Site area

3.2 Cables and pipelines within the Wind Farm Zone

Several operational and abandoned cables and pipelines cross the Wind Farm Zone, as shown in Table 11 and Figure 2.

Table 11 Characteristics of cables and pipelines in the IJmuiden Ver Wind Farm Zone

Cables and pipelines					
Name	Operator	Trace	Diameter [in]	Type	Status
PL0190_HS	Nederlandse Aardolie Maatschappij B.V.	K17-FA-1 to K14-FB-1	2	Pipe	Active
PL0125_PR	Wintershall Noordzee B.V.	P2-NE to P6-A	10	Pipe	Abandoned
PL0176_PR	BBL Company V.O.F.	Balgzand (NL) to Bacton (GB)	36	Pipe	Active
PL0190_PR	Nederlandse Aardolie Maatschappij B.V.	K17-FA-1 to K14-FB-1	16	Pipe	Active
PL0032_PR	Nederlandse Aardolie Maatschappij B.V.	P6-A to L10-AR	20	Pipe	Active
SEA-ME-WE 3 Segment 10.4	T Systems International / Deutsch Telekom	n/a	n/a	Cable	Active
UK - NL 14	Optical Fiber from UK to The Netherlands	n/a	n/a	Cable	Active
UK - NL 10	Coaxial from UK to The Netherlands	n/a	n/a	Cable	Abandoned

3.3 Units

SI units (ISO/IEC 8000) are applicable for any activities carried out at the Wind Farm Zone.

3.4 Vertical and horizontal datum

The chart datum is Lowest Astronomical Tide (LAT).

All positioning data shall be collected in the European Terrestrial Reference System 1989 (ETRS89) and projected using ETRS89 Transverse Mercator Coordinate Reference System (UTM Zone 31N). The reference for this system is EPSG Projection code 25831 - ETRS89 / UTM zone 31N.

4 Quality requirements

This chapter describes quality requirements including data model and GIS data deliveries. During the process and delivery of the data further information or explanations can be requested at RVO.

As RVO will make this data public available the metadata must comply with the GDPR (AVG) requirements.

4.1 Spatial data

All created spatial data in the study will be delivered by the supplier in GIS format. The supplier will need to comply with the data requirements set out by RVO and provide an inventory list of the deliverables supplied. The inventory should include project name, name of contractor and responsible person, survey date, product medium (i.e. hard drive, web service, etc.), folder structure and description of data contents.

- The data should be delivered in one of the following formats: ESRI File Geodatabase, TIFF or ESRI Shapefile (.shp). Should another format be used this can only be delivered after consulting with RVO.
- Both raw data and processed data along with any relevant GIS workspaces (MXDs) are required and should also include the associated reports and charts.
- Data preferably in a data model format like the *SeaBed Survey Data Model* (<http://www.iogp.org/bookstore/product/guidelines-for-the-use-of-the-seabed-survey-data-model/>)
- Data described in the IHO S44 standards should be delivered according to that standard: https://iho.int/uploads/user/pubs/Drafts/S-44_Edition_6.0.0-Final.pdf The geodetic system used for horizontal projections is European Terrestrial Reference System 1989 (ETRS89). EPSG code: 25831 <http://www.epsg-registry.org/>. If another CRS is used the transformation parameters to ETRS89 needs to be included.
- All GIS data shall be provided with Metadata describing specific details and origin regarding the spatial data. The requirements regarding the metadata are included in Annex A.

4.2 Taxonomy

All contractors must use the taxonomy as presented in the taxonomy list, which is available online at https://offshorewind.rvo.nl/file/view/55041004/Taxonomy+List+Offshore+Wind+Energy+-+Dutch_English

4.3 GIS Metadata requirements

The requirements for GIS metadata which all Contractors shall comply with is shown in Annex A of this document.

4.4 Mandatory data delivery BRO

RVO as a government agency is obligated by law to provide subsurface data to the central 'subsurface register' in the Netherlands. Therefore, below the mandatory delivery to the "Basisregistratie Ondergrond (BRO)" is provided below.

The contractor shall carry out its work in compliance with the obligations resulting from the Law "Basisregistratie Ondergrond (BRO)", including the implementation on behalf of RVO of the user duty, the delivery and the duty of investigation related to the delivery of data to databases in the BRO-Law ('LV BRO'). The contractor shall use and consult the LV BRO on presence of relevant data before

the start of the project. If the contractor has reasonable doubt about the accuracy of data in the LV BRO, the contractor should notify LV BRO following the applicable procedure, in accordance to article 30 of the Act on behalf of the client.

If the contractor generates subsurface data, these should comply with the requirements and the format of the LV BRO. The contractor has obtained background information within 20 working days of the date of acquisition to the Source holder Portal BRO.

The contractor has to supply the relevant the subsurface data, complying with the metadata data requirements in the annex "Fill instruction format LV BRO" available on the website <https://www.basisregistratieondergrond.nl/>.

4.5 Document control requirements

The naming of the documents shall be standardized in order to facilitate the document control during the whole project. The following naming code is required for all documents produced within the project:

IJ56_Date_Organization_Name document_Author_Version_Status

- IJ56: IJmuiden Ver Sites V & VI
- Date: yyyyymmdd, e.g. 20210101
- Organization: Name of the organization e.g.
 - "RVO" for all internal and general documents produced by the Netherlands Enterprise Agency (RVO)
 - Consultant or Contractor name (shortened)
- Name document: Make sure the name clearly explains the content, include here the original name if from external party
- Author: Abbreviation of the author if an internal document. Author shall be removed for final documents
- Version: Revision number or date, respectively V01 till V0x_D or 20200101_F
- Status: (D) for draft documents, (F) for signed and approved documents

4.6 Standards, formats, templates

All reports will be written in English and include both an English and Dutch management summary.

Contractors provide for each completed study a publishable summary for the Project and Site description. Maximum 1 page A4.

All reports must use the terminology as specified in Annex A of the Starting points and assumptions. For your convenience this dictionary is also available as XLSX file.

Reports and deliverables will be delivered by contractors in pdf and original, regular, formats (docx; xlsx; ppt; etc).

Final reports will have a cover according to the corporate identity of the Netherlands Enterprise Agency, with the following text:

- Front:
Offshore wind energy Netherlands
Site data IJmuiden Ver Wind Farm Sites V & VI
Name document

- Back:
A colophon with the following content:

The creative commons license 4.0 apply to this material. (including a Creative Commons logo

and hyperlink to the relevant Creative Commons website page:
<https://creativecommons.org/licenses/by/4.0/>)

- The (investigation) (report) was carried out by <<name contractor>>, commissioned by RVO, an agency of the Ministry of Economic Affairs. Whilst a great deal of care has been taken in compiling the contents of this document and the mentioned investigations, Netherlands Enterprise Agency (RVO) cannot be held liable for any damages resulting from any inaccuracies and/or outdated information.

- Contact
Netherlands Enterprise Agency (RVO)
Croeselaan 15 | 3521 BJ | Utrecht | The Netherlands
P.O. box 8242 | 3503 RE | Utrecht | The Netherlands
www.rvo.nl/http://english.rvo.nl

- Netherlands Enterprise Agency (RVO) | Date of publication

4.7 Other data

In the case of collected data: primary data must be delivered in regular formats.

4.8 Deliverables (results / maps)

All maps (in GIS and PDF) will not show the investigation areas nor the specific Wind Farm Sites. The maps will only show the outer boundary of the Wind Farm Zone Boundary of the IJmuiden Ver Wind Farm Zone (IJVWFZ).

4.9 Storage of data (electronic / hardcopy)

The Netherlands Enterprise Agency will store all reports and other relevant documents for at least five years both electronically and hardcopy.

5 Communication

5.1 Confidentiality

All information provided to contractors/suppliers by the Ministry of Economic Affairs and Climate Policy and/or the Netherlands Enterprise Agency and/or the Ministry of Infrastructure and Water Management and/or Rijkswaterstaat and/or TenneT must be regarded confidential.

All deliverables produced by contractors/suppliers remain confidential until a deliverable has been made public by the Ministry of Economic Affairs and Climate Policy and/or the Netherlands Enterprise Agency and/or the Ministry of Infrastructure and Water Management and/or Rijkswaterstaat and/or TenneT.

5.2 Accessibility public information

- Site investigations: offshorewind.rvo.nl
- SDE: <http://english.rvo.nl/subsidies-programmes/stimulation-sustainable-energy-production-sde>
- Wind farm Site Decisions and EIA: <https://www.rvo.nl/subsidies-regelingen/bureau-energieprojecten/lopende-projecten>

5.3 Authorities

Wind Farm Site Decision ('Kavelbesluit'):

Ministry of Economic Affairs and Climate Policy

Laura Jansen

E l.e.jansen@minezk.nl

T +31 (0)6-29645189

Rijkswaterstaat

Raoul Syrier

E raoul.syrier@rws.nl

T +31 (0)6 11072554

Site data:

Netherlands Enterprise Agency

Matté Brijder

E matte.brijder@rvo.nl

T + 31 (0)6 27878952

Grid connection ('Transmissiesysteem op zee'):

TenneT TSO BV

Johan Dekkers

E johan.dekkers@tennet.eu

T +31 (0)6 29360328

5.4 Media

All media contacts will be coordinated by the Ministry of Economic Affairs and Climate Policy. If a supplier is approached by press representatives than he/she should refer to the spokesman of the Ministry only.

Ministry of Economic Affairs and Climate Policy

Caspar Itz

c.itz@minez.nl

+ 31 610551061

5.5 Email

All emails related to the site investigations must be send in CC to the project mailbox: IJV@rvo.nl

The subject of an email related to IJmuiden Ver Wind Farm Sites V & VI needs to start with the date and the abbreviation IJ56. Then also it needs to be followed by an abbreviation of the type of site survey. E.g. : 20210806 IJ56 GM for the Integrated Ground Model IJmuiden Ver WFS V & VI

5.6 Emergency Response

In case of an emergency suppliers are obliged to inform the Netherlands Enterprise Agency immediately.

Annex A. GIS Metadata requirements

Goal of metadata requirements is to make sure the future users of this data can use this data in the appropriate way and find out what the constraints of the usage of the data is from the metadata.

Format

All data collected, either in the field or in a desktop study, by third parties must be provided with metadata. Data is preferably collected in an ArcGIS file geodatabase (version 10.6 or lower). In this case, metadata is stored within the data in the database. In case of a shapefile, GML or GRID metadata must be provided in pure XML-format as separate files.

Metadata must be compliant with the Dutch standard for metadata ISO 19115 version 2.0.0² (or any version available at the time of creating the data), in addition the column names of all data records. More information on the standard can be found here:

<https://www.geonovum.nl/geo-standaarden/metadata/nederlands-metadataprofiel-op-iso-19115-geografie>

To validate your metadata a validator is available from the website of Geonovum:

<https://validatie.geostandaarden.nl/etf-webapp/testprojects?testdomain=Metadata>

Manufacture options

Creating metadata should preferably be done when the data is acquired or created and checked and finalised before delivering the data.

Preferred option:

Organisations that use Esri software can use the GeoSticker application to create and edit metadata:

<http://www.esri.nl/geosticker>.

Other options:

The Metadatamaker offered by the RWS can also be used to make the metadata and can be found at <http://rws.metainfomaker.nl/>

The Nationaal Georegister (NGR) allows meta data to be made, to do this a guest account is required. This can be requested by mailing to EZ geodatabeheer (geodatabeheer.GISCC@rvo.nl)

Other options are possible as long as the data will be validated by the metadata validator for ISO 19115 version 2.0.0 (or newer version available at the time of creating the data) at the website of Geonovum

Metadata elements with explanation:

Identification

1. File title:

No abbreviations, complete title of the dataset covering the content of the dataset.

2. Status:

According a standard list:

completed; historicalArchive; obsolete; onGoing; planned; required; underDevelopment.

3. Source data date:

- a. creation YYYY-MM-DD
- b. publication YYYY-MM-DD (date of approval by RVO)
- c. revision YYYY-MM-DD

4. abstract:

² There is one major difference between the Dutch metadata standard ISO 19115 version 2.0.0 and the RVO metadata requirements: the description of the content of the dataset. A description of all attributes, including - if applicable - all possible values and its measurement is mandatory and not optional.

Short description of the content of the dataset.

5. Subject / topics:

Define the key topic(s) of the dataset

6. Keywords:

Keywords describing the dataset, e.g.

- Wind Farm Site
- Wind Farm Zone ... (IJmuiden Ver)
- ...
- ...

7. Revision frequency:

N/A

8. Next revision date:

N/A

9. Purpose of production:

Concise description of the original aim of the dataset

10. Denominator :

Scale on which the dataset can be used.

11. useLimitation :

Applications for which the data set is not to be used. I.e. Not to be used for navigation. Not to be used on a scale larger than 1:50.000

12. accessConstraints:

None, data will be published in the public domain

13. useConstraints:

The creative commons license 4.0 apply to this material. See hyperlink

<https://creativecommons.org/licenses/by/4.0/>

This investigation was carried out by ..., commissioned by RVO, an agency of the Ministry of Economic Affairs and Climate Policy. Whilst a great deal of care has been taken in compiling the contents of this investigation, RVO cannot be held liable for any damages resulting from any inaccuracies and/or outdated information.

14. otherConstraints :

Other restriction(s) if any.

15. Description complementary document or website:

On the RVO website general information about offshore wind energy can be found as well as links to more detailed information regarding the information of the investigation where this deliverable resulted from.

Quality

16. General origin:

General description of when, how and where the data was created / collected.

17. Accuracy:

Describe accuracy of the dataset.

18. Completeness:

Is the dataset complete? If not, a description of the incompleteness is necessary.

19. Processing of data (if applicable):

If data is processed, description of each step is required i.e. transformation or generalisation

20. Source datasets (if applicable):

Description of used source datasets (if any).

Coverage

21. Geographical coverage:

Geographical coverage of the file e.g. The Netherlands, North Sea.

22. Validity period:

Define start and end date of validity of the dataset.

Content

23. Attribute information:

Description of all attributes, including - if applicable - all possible values and its measurement.

General

24. Contact information:

As this information will be made publicly available personal information should be avoided and generic contact details should be provided. If personal email addresses are provided that person should have given consent to use their e-mail address.

Contact information of client and/or creator and/or point of contact. At least one contact is mandatory. Name organisation, role organisation (owner, processor, point of contact, administrator, provider, creator), and an generic email address of contact department

If website is available, name of contact and role of contact

Do to the GDPR it is no longer desirable to have personal information in the data, it is preferred to have a general email instead of a personal one and a function title instead of a person's name.

Client:

Business Name: ...

Contact Person: ...

Address: ...

Telephone: ...

Email

Creator:

Business Name: ...

Contact Person: ...

Address: ...

Telephone: ...

Email: ...

Annex B. MPK file of IJWFS V & VI

[provided separately]