



Deflection Data Report**N321_0HRM_RR_8000_rs_ts_F25****Wegvak: km 8.000 – 8.825****Nulpunt: km 7.500****Wielspoor: rechts / tussen**

Geophone distances (mm):			0	200	300	450	600	900	1200	1500	1800
Chainage	Drop	Stress kPa	D1 Mic.	D2 Mic.	D3 Mic.	D4 Mic.	D5 Mic.	D6 Mic.	D7 Mic.	D8 Mic.	D9 Mic.
8.000r	4	723	175	152	138	128	119	96	80	63	51
8.026t	4	729	148	132	121	108	97	77	62	50	42
8.050r	4	724	180	160	152	137	125	101	84	66	53
8.075t	4	730	149	135	128	117	108	88	71	59	49
8.100r	4	719	155	141	133	125	116	99	81	66	54
8.125t	4	719	98	92	89	85	80	71	61	51	45
8.150r	4	728	165	144	136	124	114	95	81	67	56
8.175t	4	725	143	130	123	116	107	91	76	62	52
8.200r	4	717	159	143	136	124	116	98	83	69	55
8.230t	4	730	117	105	98	92	86	72	62	51	44
8.251r	4	729	193	165	152	134	124	99	78	61	51
8.275t	4	720	101	95	91	88	84	73	62	52	43
8.300r	4	726	158	141	134	125	117	102	85	72	59
8.324t	4	725	100	92	86	83	79	68	58	48	41
8.350r	4	725	140	127	124	119	112	97	81	68	56
8.375t	4	723	135	116	111	103	97	83	71	58	48
8.400r	4	702	128	117	113	107	101	86	75	63	53
8.425t	4	719	107	100	96	91	86	74	64	53	45
8.450r	4	714	177	161	151	141	128	108	91	72	59
8.475t	4	720	183	171	160	147	134	108	85	68	54
8.500r	4	714	151	133	125	116	110	95	81	69	58
8.525t	4	721	117	103	99	91	85	71	61	51	44
8.548r	4	723	156	139	133	124	114	95	78	63	51
8.575t	4	718	163	152	146	134	125	105	87	69	57
8.600r	4	719	171	155	145	131	122	107	88	71	57
8.625t	4	716	157	143	136	127	121	103	89	71	58
8.650r	4	705	176	162	153	145	136	117	98	80	66
8.680t	4	701	136	132	129	124	118	103	84	73	56
8.700r	4	701	177	156	148	141	128	109	86	69	55
8.727t	4	701	101	94	89	86	81	70	60	49	41
8.750r	4	703	153	142	140	133	127	111	97	80	65
8.776t	4	697	121	106	100	95	89	77	68	57	48
8.799r	4	709	134	122	117	110	104	89	77	63	53
8.825t	4	709	117	110	107	105	101	93	81	73	62

Measured deflections and load @ 50 kN: N321 0HR-M R-R rs+ts



Deflections, accumulated difference: N321 0HR-M R-R rs+ts



Statistics Report**N321_0HRM_RR_8000_rs_ts_F25**

Subject	Section	Drop	Start	End	Points	Mean	STD
Deflection 01, 0	0	4	8.000	8.825	34	143	27.000
Deflection 02, 200	0	4	8.000	8.825	34	129	23.000
Deflection 03, 300	0	4	8.000	8.825	34	123	21.000
Deflection 04, 450	0	4	8.000	8.825	34	115	19.000
Deflection 05, 600	0	4	8.000	8.825	34	107	17.000
Deflection 06, 900	0	4	8.000	8.825	34	91	14.000
Deflection 07, 1200	0	4	8.000	8.825	34	76	11.000
Deflection 08, 1500	0	4	8.000	8.825	34	62	9.000
Deflection 09, 1800	0	4	8.000	8.825	34	52	7.000