**Material finish ref.:**

**Floor boxes:**
type A: 2 WDC + 1x1 UTP
type A1: 2WDC + 1x2 UTP
type B: 4 WDC + 1x2 UTP
type C: 6 WCD + 2x2 UTP
type D: 4 WDC + 1x2 UTP
type E: 4 WDC + 4x2 UTP

**Sockets:**
Power socket (single/double)
Data socket (single/double)
occur in various combinations

Colour code for sockets on prefab walls:
CAST-IN (red)
SURFACE-MOUNTED OR INEGRATED IN NON-STRUCTURAL ELEMENT (green)

**General design principles:**
Socket position
30cm from wall (at corner)
10cm from door frame

**Notes:**
All pantries and coffebars: 2 x type C
Type A around the atrium at all sides

Socket with "screen" are at xx height

**Hoogteladder WCD's op wanden:**
**Algemene WCD's: P+300**
**Werkplek: P+300**
**Schermen (stahoogte): P+1700**
**Schermen (zithoogte, werkplek): P+1050**
**Kluisjes: P+1200**
**Traincoupes: P+300**
**Pantries: werkblad+300**
**Vioerverwarmings-units: P+300 (in te bouwen in kast)**

**Gemeten uit hart module.**

**Standaard verticale orientatie, gemeten uit hart bovenste module indien meervoudig.**

**Hoogte kan varieren bij bespoke elements.**

**Overige instortvoorzieningen:**
**Wandarmaturen: P+1700**
**Overig schakelmateriaal: P+1050**

Voorzieningen aan te stemmen door horeca-exploitant/hhf exploitant

# Technisch Ontwerp

| Drawing no. | Rev. no. |
|---|---|
| A-FFE-T-G-FB-02 | A |

Sheet size: A0

| Rev. : | Date : | Revision includes : | Init.: |
|---|---|---|---|
| A | 22.03.2024 | Aanpassingen cf review gebruiker | |
| | | | |
| | | | |
| | | | |

# DORDTHUIS - Dordrecht

| Title : | | | | Item no : |
|---|---|---|---|---|
| **Vloerdoos en electra FF&E - 2e verdieping** | | | | B_BG_12 |
| Project no. : | 681913.091 | Status : | Issued | Drawing no. / Rev. no. |
| Scale : | 1 : 100 | Drawn : | CLG | A-FFE-T-G-FB-02 / A |
| Date : | 16.02.24 | Checked : | ACH | |
| Rev. date : | 22.03.2024 | Approved : | MFO | |

Client : Gemeente Dordrecht / Spuiboulevard 300/ 3311 GR Dordrecht Tel : +31 78 639 89 89
Architect : Schmidt Hammer Lassen Architects / Pakhus 2 Nyhavgade 17A / DK 2300 Copenhagen S Tel : +45 86 20 19 00

SCHMIDT HAMMER LASSEN